



Target Species

Based on 152,004 complete checklists

408 species observed in Washington, US (region/US-WA) in **Aug** that you need for your **World Life List**

1. American Crow	43.43% frequency
2. Black-capped Chickadee	35.59%
3. Barn Swallow	31.15%
4. American Robin	30.20%
5. Song Sparrow	29.55%
6. Great Blue Heron	26.87%
7. House Finch	26.66%
8. Mallard	25.76%
9. Red-breasted Nuthatch	25.71%
10. American Goldfinch	25.61%
11. Northern Flicker	24.41%
12. Cedar Waxwing	22.71%
13. Spotted Towhee	22.13%
14. Chestnut-backed Chickadee	21.91%
15. Steller's Jay	21.79%
16. Dark-eyed Junco	21.55%
17. Anna's Hummingbird	21.54%

18. European Starling	20.28%
19. Canada Goose	19.39%
20. Belted Kingfisher	18.78%
21. Glaucous-winged Gull	18.41%
22. Killdeer	17.63%
23. Bewick's Wren	16.94%
24. Common Raven	15.90%
25. Osprey	15.69%
26. California Gull	15.36%
27. Caspian Tern	13.52%
28. White-crowned Sparrow	13.26%
29. Mourning Dove	13.06%
30. Rock Pigeon	12.67%
31. Double-crested Cormorant	12.32%
32. House Sparrow	12.20%
33. Bald Eagle	11.97%
34. Least Sandpiper	11.42%
35. Eurasian Collared-Dove	11.37%
36. Red-winged Blackbird	10.56%
37. Downy Woodpecker	10.48%
38. Western Sandpiper	10.16%
39. Western Wood-Pewee	10.12%
40. Ring-billed Gull	10.01%

41. Brown Creeper	9.81%
42. Red-tailed Hawk	9.78%
43. Pine Siskin	9.59%
44. Common Yellowthroat	9.58%
45. Violet-green Swallow	9.37%
46. Pigeon Guillemot	8.85%
47. Golden-crowned Kinglet	8.13%
48. Turkey Vulture	7.97%
49. Bushtit	7.74%
50. Purple Martin	7.70%
51. Savannah Sparrow	7.63%
52. Black-headed Grosbeak	7.58%
53. Pied-billed Grebe	7.33%
54. Greater Yellowlegs	7.25%
55. Western Tanager	6.97%
56. Yellow Warbler	6.63%
57. Wood Duck	6.62%
58. Spotted Sandpiper	6.56%
59. Heermann's Gull	6.19%
60. Band-tailed Pigeon	5.88%
61. Brown-headed Cowbird	5.75%
62. Wilson's Warbler	5.68%
63. Cooper's Hawk	5.61%

64. Rufous Hummingbird	5.58%
65. Willow Flycatcher	5.57%
66. Pelagic Cormorant	5.51%
67. Red Crossbill	5.40%
68. California Quail	5.33%
69. Brewer's Blackbird	5.27%
70. Swainson's Thrush	5.24%
71. Hairy Woodpecker	5.20%
72. Gadwall	4.98%
73. Pileated Woodpecker	4.91%
74. Orange-crowned Warbler	4.84%
75. Purple Finch	4.84%
76. Green-winged Teal	4.82%
77. Vaux's Swift	4.77%
78. Rhinoceros Auklet	4.73%
79. American Coot	4.72%
80. Yellow-rumped Warbler	4.70%
81. Marsh Wren	4.41%
82. American Kestrel	4.35%
83. California Scrub-Jay	4.19%
84. Tree Swallow	4.09%
85. Semipalmated Plover	4.04%
86. Warbling Vireo	4.04%

87. Pacific Wren	3.99%
88. Northern Harrier	3.95%
89. Lesser Yellowlegs	3.94%
90. Cliff Swallow	3.90%
91. Western Flycatcher	3.89%
92. Northern Shoveler	3.76%
93. Short-billed Gull	3.74%
94. Eastern Kingbird	3.66%
95. Common Murre	3.44%
96. Brown Pelican	3.32%
97. Chipping Sparrow	3.31%
98. Surf Scoter	3.27%
99. Hooded Merganser	3.11%
100. Black-billed Magpie	3.01%
101. Northern Rough-winged Swallow	3.00%
102. Northern House Wren	2.92%
103. Mountain Chickadee	2.89%
104. Long-billed Dowitcher	2.88%
105. Common Merganser	2.84%
106. Northern Pintail	2.72%
107. Black-throated Gray Warbler	2.71%
108. Olive-sided Flycatcher	2.69%
109. Virginia Rail	2.65%

110. Common Loon	2.62%
111. Baird's Sandpiper	2.62%
112. Western Gull	2.58%
113. Red-necked Phalarope	2.55%
114. American White Pelican	2.47%
115. Bonaparte's Gull	2.46%
116. Great Egret	2.37%
117. Bank Swallow	2.34%
118. Peregrine Falcon	2.31%
119. Green Heron	2.31%
120. Canada Jay	2.29%
121. Townsend's Warbler	2.27%
122. Black-bellied Plover	2.19%
123. Cinnamon Teal	2.15%
124. Short-billed Dowitcher	1.95%
125. Gray Catbird	1.92%
126. Evening Grosbeak	1.91%
127. Lesser Goldfinch	1.89%
128. Hutton's Vireo	1.88%
129. Common Nighthawk	1.88%
130. Black-chinned Hummingbird	1.86%
131. Brandt's Cormorant	1.86%
132. Red-necked Grebe	1.85%

133. Harlequin Duck	1.85%
134. Semipalmated Sandpiper	1.84%
135. MacGillivray's Warbler	1.81%
136. Sanderling	1.78%
137. Marbled Murrelet	1.74%
138. Black Oystercatcher	1.73%
139. Black Turnstone	1.69%
140. Red-breasted Sapsucker	1.64%
141. American Wigeon	1.64%
142. White-breasted Nuthatch	1.63%
143. Merlin	1.59%
144. Clark's Nutcracker	1.55%
145. Wilson's Snipe	1.48%
146. Pygmy Nuthatch	1.48%
147. Solitary Sandpiper	1.43%
148. Sharp-shinned Hawk	1.41%
149. Ruddy Duck	1.33%
150. Western Meadowlark	1.30%
151. Pectoral Sandpiper	1.27%
152. Cassin's Finch	1.23%
153. Great Horned Owl	1.22%
154. Say's Phoebe	1.21%
155. White-winged Scoter	1.20%

156. Blue-winged Teal	1.17% 
157. Yellow-headed Blackbird	1.16% 
158. Lazuli Bunting	1.14% 
159. Western Grebe	1.14% 
160. Western Bluebird	1.12% 
161. Western Kingbird	1.10% 
162. Wild Turkey	1.08% 
163. Cassin's Vireo	1.02% 
164. American Pipit	0.9993% 
165. Sooty Shearwater	0.9921% 
166. Hammond's Flycatcher	0.9651% 
167. Marbled Godwit	0.9533% 
168. Barred Owl	0.9467% 
169. Calliope Hummingbird	0.9375% 
170. Sooty Grouse	0.9184% 
171. Bullock's Oriole	0.9158% 
172. Nashville Warbler	0.9092% 
173. Horned Lark	0.8829% 
174. Varied Thrush	0.8500% 
175. Horned Grebe	0.8493% 
176. American Dipper	0.8467% 
177. Vesper Sparrow	0.7401% 
178. Lincoln's Sparrow	0.7394% 

179. Swainson's Hawk	0.7171%
180. Black-necked Stilt	0.7158%
181. Red-throated Loon	0.7085%
182. Whimbrel	0.6888%
183. Mountain Bluebird	0.6763%
184. Ring-necked Duck	0.6704%
185. American Bittern	0.6638%
186. Townsend's Solitaire	0.6467%
187. Ring-necked Pheasant	0.6460%
188. Hermit Thrush	0.6349%
189. Redhead	0.6066%
190. Red-eyed Vireo	0.6000%
191. Ruddy Turnstone	0.5980%
192. Stilt Sandpiper	0.5980%
193. American Barn Owl	0.5875%
194. Pacific Loon	0.5849%
195. Sora	0.5842%
196. Wandering Tattler	0.5776%
197. Black Swift	0.5664%
198. Black Phoebe	0.5368%
199. Tufted Puffin	0.5164%
200. Common Tern	0.4855%
201. Rock Wren	0.4776%

202. Dusky Flycatcher	0.4763%
203. Surfbird	0.4730%
204. Yellow-breasted Chat	0.4684%
205. Ruby-crowned Kinglet	0.4428%
206. Wilson's Phalarope	0.4414%
207. Willet	0.4395%
208. Red-naped Sapsucker	0.4263%
209. Black-crowned Night Heron	0.4250%
210. Parasitic Jaeger	0.4138%
211. Lark Sparrow	0.4039%
212. Lewis's Woodpecker	0.3862%
213. Eared Grebe	0.3638%
214. Franklin's Gull	0.3447%
215. Fox Sparrow	0.3447%
216. Bufflehead	0.3408%
217. Brewer's Sparrow	0.3302%
218. Canyon Wren	0.3224%
219. Lesser Scaup	0.3217%
220. Red-footed Booby	0.3085%
221. Ruffed Grouse	0.3033%
222. American Herring Gull	0.2974%
223. Forster's Tern	0.2901%
224. American Avocet	0.2895%

225. Pink-footed Shearwater	0.2822%
226. Cassin's Auklet	0.2756%
227. Gray Flycatcher	0.2743%
228. Greater Scaup	0.2645%
229. Golden Eagle	0.2618%
230. Common Goldeneye	0.2585%
231. Fork-tailed Storm-Petrel	0.2474%
232. Northern Fulmar	0.2467%
233. Gray-crowned Rosy-Finch	0.2454%
234. Pacific Golden-Plover	0.2447%
235. Sabine's Gull	0.2441%
236. Red Knot	0.2355%
237. Northern Pygmy-Owl	0.2316%
238. White-headed Woodpecker	0.2270%
239. Black-footed Albatross	0.2263%
240. Prairie Falcon	0.2151%
241. Dunlin	0.2000%
242. Long-billed Curlew	0.1961%
243. Bar-tailed Godwit	0.1921%
244. Barrow's Goldeneye	0.1875%
245. Chukar	0.1836%
246. Pomarine Jaeger	0.1836%
247. Red Phalarope	0.1770%

248.	Williamson's Sapsucker	0.1658%
249.	American Three-toed Woodpecker	0.1638%
250.	Hermit Warbler	0.1631%
251.	Pine Grosbeak	0.1605%
252.	White-throated Swift	0.1599%
253.	Sandhill Crane	0.1592%
254.	American Goshawk	0.1375%
255.	Loggerhead Shrike	0.1362%
256.	Clark's Grebe	0.1329%
257.	Greater White-fronted Goose	0.1322%
258.	Hudsonian Godwit	0.1309%
259.	Arctic Tern	0.1309%
260.	Red-shouldered Hawk	0.1296%
261.	White-tailed Ptarmigan	0.1283%
262.	Sage Thrasher	0.1276%
263.	Dusky Grouse	0.1270%
264.	American Redstart	0.1257%
265.	South Polar Skua	0.1211%
266.	Black-backed Woodpecker	0.1211%
267.	Snowy Plover	0.1171%
268.	Western Screech-Owl	0.1145%
269.	Gray Partridge	0.1118%
270.	Long-tailed Jaeger	0.1105%

271. Northern Waterthrush	0.1105%
272. Buller's Shearwater	0.1099%
273. Trumpeter Swan	0.1020%
274. American Golden-Plover	0.0947%
275. Brant	0.0934%
276. Black Tern	0.0914%
277. Veery	0.0882%
278. Leach's Storm-Petrel	0.0868%
279. Black Scoter	0.0849%
280. Ruff	0.0803%
281. Elegant Tern	0.0796%
282. Red-breasted Merganser	0.0790%
283. Sagebrush Sparrow	0.0790%
284. Short-tailed Shearwater	0.0776%
285. White-winged Crossbill	0.0763%
286. Canvasback	0.0750%
287. Common Poorwill	0.0743%
288. Snow Goose	0.0717%
289. Buff-breasted Sandpiper	0.0717%
290. Grasshopper Sparrow	0.0697%
291. Acorn Woodpecker	0.0625%
292. Ash-throated Flycatcher	0.0572%
293. Boreal Chickadee	0.0553%

294. Swallow-tailed Gull	0.0533%
295. Black-legged Kittiwake	0.0487%
296. Spruce Grouse	0.0461%
297. Flesh-footed Shearwater	0.0447%
298. Horned Puffin	0.0434%
299. Mountain Quail	0.0388%
300. Tricolored Blackbird	0.0368%
301. Northern Saw-whet Owl	0.0362%
302. Cackling Goose	0.0349%
303. Burrowing Owl	0.0342%
304. Manx Shearwater	0.0309%
305. Tundra Swan	0.0296%
306. Scissor-tailed Flycatcher	0.0283%
307. Eastern Wood-Pewee	0.0276%
308. Golden-crowned Sparrow	0.0276%
309. Ancient Murrelet	0.0263%
310. Short-eared Owl	0.0263%
311. Great-tailed Grackle	0.0257%
312. Clay-colored Sparrow	0.0250%
313. Least Flycatcher	0.0237%
314. Sharp-tailed Sandpiper	0.0217%
315. Laysan Albatross	0.0204%
316. Snowy Egret	0.0191%

317. Northern Mockingbird	0.0171%
318. Smith's Longspur	0.0171%
319. Siberian Sand-Plover	0.0165%
320. Long-eared Owl	0.0165%
321. King Eider	0.0158%
322. Laughing Gull	0.0138%
323. Scripps's Murrelet	0.0132%
324. Ferruginous Hawk	0.0125%
325. Lapland Longspur	0.0118%
326. Eurasian Wigeon	0.0112%
327. Wilson's Plover	0.0105%
328. Bobolink	0.0105%
329. Black-and-white Warbler	0.0099%
330. Little Gull	0.0092%
331. Black-tailed Gull	0.0092%
332. Painted Redstart	0.0092%
333. Nazca Booby	0.0086%
334. White-faced Ibis	0.0086%
335. LeConte's Sparrow	0.0086%
336. Wood Sandpiper	0.0079%
337. Glaucous Gull	0.0079%
338. Lesser Black-backed Gull	0.0079%
339. Slaty-backed Gull	0.0079%

340. Long-tailed Duck	0.0072%
341. Common Eider	0.0066%
342. Spotted Owl	0.0066%
343. Green-tailed Towhee	0.0066%
344. Hooded Warbler	0.0059%
345. Chestnut-sided Warbler	0.0059%
346. White-tailed Kite	0.0053%
347. Great Gray Owl	0.0053%
348. Little Stint	0.0046%
349. Greater Sage-Grouse	0.0039%
350. Red-necked Stint	0.0039%
351. Rock Sandpiper	0.0039%
352. Cocos Booby	0.0039%
353. Broad-winged Hawk	0.0039%
354. Northern Hawk Owl	0.0039%
355. Ross's Goose	0.0033%
356. Upland Sandpiper	0.0033%
357. Flammulated Owl	0.0033%
358. Rose-breasted Grosbeak	0.0033%
359. Wilson's Storm-Petrel	0.0026%
360. Great Shearwater	0.0026%
361. Blue-gray Gnatcatcher	0.0026%
362. Northern Wheatear	0.0026%

363. Tennessee Warbler	0.0026%
364. Indigo Bunting	0.0026%
365. Emperor Goose	0.0020%
366. Iceland Gull	0.0020%
367. Boreal Owl	0.0020%
368. Eurasian Skylark	0.0020%
369. Lark Bunting	0.0020%
370. Blackburnian Warbler	0.0020%
371. Blackpoll Warbler	0.0020%
372. Yellow-billed Loon	0.0013%
373. Blue-winged Warbler	0.0013%
374. Sharp-tailed Grouse	0.0007%
375. White-winged Dove	0.0007%
376. Curlew Sandpiper	0.0007%
377. White-rumped Sandpiper	0.0007%
378. Parakeet Auklet	0.0007%
379. Long-billed Murrelet	0.0007%
380. Guadalupe Murrelet	0.0007%
381. Red-legged Kittiwake	0.0007%
382. Short-tailed Albatross	0.0007%
383. Hawaiian Petrel	0.0007%
384. Wedge-tailed Shearwater	0.0007%
385. Yellow-bellied Flycatcher	0.0007%

386. Blue Jay	0.0007%
387. Bohemian Waxwing	0.0007%
388. White-throated Sparrow	0.0007%
389. Hooded Oriole	0.0007%
390. Painted Bunting	0.0007%
391. Yellow-billed Cuckoo	0.0000%
392. Black-headed Gull	0.0000%
393. Least Tern	0.0000%
394. Blue-footed Booby	0.0000%
395. Western Cattle-Egret	0.0000%
396. Crested Caracara	0.0000%
397. Blue-headed Vireo	0.0000%
398. Brown Thrasher	0.0000%
399. Black-throated Sparrow	0.0000%
400. Common Grackle	0.0000%
401. Golden-winged Warbler	0.0000%
402. Prothonotary Warbler	0.0000%
403. Mourning Warbler	0.0000%
404. Northern Parula	0.0000%
405. Magnolia Warbler	0.0000%
406. Blue Grosbeak	0.0000%
EXOTIC: PROVISIONAL	
407. American Black Duck	0.0026% frequency

408. Northern Bobwhite	0.0007%
EXOTIC: ESCAPEE	
Muscovy Duck	0.0559% frequency
Mute Swan	0.0132%
African Collared-Dove	0.0112%
Graylag Goose	0.0105%
Black-and-white Mannikin	0.0066%
Budgerigar	0.0033%
Swan Goose	0.0020%
Red Junglefowl	0.0020%
Helmeted Guineafowl	0.0013%
Indian Peafowl	0.0013%
Monk Parakeet	0.0013%
Mitred Parakeet	0.0013%
Swinhoe's White-eye	0.0013%
Black Swan	0.0007%
Mandarin Duck	0.0007%
Rosy-faced Lovebird	0.0007%
Red-whiskered Bulbul	0.0007%
Zebra Finch	0.0007%
Pin-tailed Whydah	0.0007%
Chilean Tinamou	0.0000%
Golden Pheasant	0.0000%

Village Weaver	0.0000%
HYBRIDS	
Western x Glaucous-winged Gull (hybrid)	5.27% frequency 
Domestic goose sp. x Canada Goose (hybrid)	0.0572% 
Townsend's x Hermit Warbler (hybrid)	0.0533% 
Red-naped x Red-breasted Sapsucker (hybrid)	0.0118% 
Black-capped x Mountain Chickadee (hybrid)	0.0105% 
Graylag x Canada Goose (hybrid)	0.0033%
Wood Duck x Mallard (hybrid)	0.0020%
Northern Bobwhite x California Quail (hybrid)	0.0013%
Anna's x Rufous Hummingbird (hybrid)	0.0007%
American Herring x Glaucous-winged Gull (hybrid)	0.0007%
Western x Clark's Grebe (hybrid)	0.0007%
Spotted x Barred Owl (hybrid)	0.0007%
Mountain x Boreal Chickadee (hybrid)	0.0007%
Tree x Violet-green Swallow (hybrid)	0.0000%
Barn x Cliff Swallow (hybrid)	0.0000%