



Target Species

Based on 185,229 complete checklists

407 species observed in Washington, US (region/US-WA) in Jun that you need for your World Life List

1. American Robin	63.68% frequency
2. Song Sparrow	46.48%
3. American Crow	43.00%
4. Spotted Towhee	36.41%
5. Dark-eyed Junco	32.70%
6. American Goldfinch	30.48%
7. European Starling	29.76%
8. Black-capped Chickadee	28.56%
9. Red-winged Blackbird	28.21%
10. Violet-green Swallow	27.89%
11. Black-headed Grosbeak	26.84%
12. Cedar Waxwing	26.84%
13. Swainson's Thrush	26.81%
14. House Finch	26.54%
15. Northern Flicker	26.22%
16. Barn Swallow	25.96%
17. White-crowned Sparrow	23.09%
18. Brown-headed Cowbird	21.56%

19. Western Wood-Pewee	20.73%
20. Mallard	19.81%
21. Red-breasted Nuthatch	19.64%
22. Tree Swallow	19.32%
23. Chestnut-backed Chickadee	18.53%
24. Anna's Hummingbird	18.03%
25. Yellow Warbler	17.64%
26. Western Flycatcher	17.07%
27. Mourning Dove	16.93%
28. Bald Eagle	16.81%
29. Common Raven	16.49%
30. Willow Flycatcher	16.41%
31. Great Blue Heron	16.38%
32. Rufous Hummingbird	15.90%
33. Steller's Jay	15.51%
34. Common Yellowthroat	15.28%
35. Bewick's Wren	15.16%
36. Western Tanager	14.96%
37. Warbling Vireo	14.93%
38. House Sparrow	14.57%
39. Canada Goose	13.47%
40. Purple Finch	13.00%
41. Red-tailed Hawk	12.88%

42. Killdeer	12.64%
43. Osprey	11.92%
44. Savannah Sparrow	11.73%
45. Pine Siskin	11.28%
46. Wilson's Warbler	11.15%
47. Cliff Swallow	11.03%
48. Eurasian Collared-Dove	10.67%
49. Northern House Wren	10.56%
50. Glaucous-winged Gull	10.05%
51. Turkey Vulture	9.91%
52. Brewer's Blackbird	9.69%
53. Downy Woodpecker	9.08%
54. Chipping Sparrow	8.81%
55. Orange-crowned Warbler	8.79%
56. Yellow-rumped Warbler	8.65%
57. California Quail	8.60%
58. Bullock's Oriole	8.56%
59. Brown Creeper	8.21%
60. Rock Pigeon	8.17%
61. Marsh Wren	8.11%
62. Band-tailed Pigeon	8.04%
63. Bushtit	7.99%
64. Lazuli Bunting	7.90%

65. Northern Rough-winged Swallow	7.53%
66. Belted Kingfisher	7.42%
67. Pacific Wren	7.20%
68. Gadwall	7.17%
69. Western Meadowlark	7.13%
70. Golden-crowned Kinglet	7.06%
71. Caspian Tern	6.81%
72. Hairy Woodpecker	6.49%
73. Olive-sided Flycatcher	6.39%
74. Red-breasted Sapsucker	6.26%
75. Wood Duck	6.01%
76. Eastern Kingbird	5.93%
77. Spotted Sandpiper	5.63%
78. Double-crested Cormorant	5.53%
79. MacGillivray's Warbler	5.46%
80. Black-billed Magpie	5.42%
81. Pigeon Guillemot	5.37%
82. Western Kingbird	5.36%
83. Vaux's Swift	5.26%
84. American Kestrel	4.99%
85. Pileated Woodpecker	4.94%
86. Black-throated Gray Warbler	4.58%
87. Hammond's Flycatcher	4.57%

88. Pied-billed Grebe	4.45%
89. Townsend's Warbler	4.27%
90. Purple Martin	4.16%
91. Red Crossbill	4.01%
92. Gray Catbird	3.95%
93. American Coot	3.90%
94. Cassin's Finch	3.75%
95. Yellow-headed Blackbird	3.66%
96. Common Nighthawk	3.57%
97. Ring-billed Gull	3.56%
98. Cassin's Vireo	3.54%
99. Mountain Chickadee	3.44%
100. California Scrub-Jay	3.42%
101. Evening Grosbeak	3.41%
102. California Gull	3.30%
103. Cinnamon Teal	3.22%
104. Yellow-breasted Chat	3.16%
105. Western Bluebird	3.04%
106. Nashville Warbler	3.02%
107. Bank Swallow	3.00%
108. Common Merganser	2.98%
109. Hermit Thrush	2.92%
110. Say's Phoebe	2.89%

111. Red-eyed Vireo	2.88%
112. Cooper's Hawk	2.66%
113. Calliope Hummingbird	2.58%
114. Pelagic Cormorant	2.58%
115. Varied Thrush	2.58%
116. Dusky Flycatcher	2.55%
117. Northern Harrier	2.54%
118. Vesper Sparrow	2.52%
119. Virginia Rail	2.48%
120. Rhinoceros Auklet	2.44%
121. Veery	2.40%
122. American White Pelican	2.36%
123. Horned Lark	2.31%
124. Ring-necked Pheasant	2.24%
125. Black-chinned Hummingbird	2.14%
126. Blue-winged Teal	2.13%
127. Wilson's Snipe	2.00%
128. Red-naped Sapsucker	1.98%
129. Hutton's Vireo	1.96%
130. Ruddy Duck	1.91%
131. Hooded Merganser	1.89%
132. Mountain Bluebird	1.77%
133. Pygmy Nuthatch	1.74%

134. Rock Wren	1.69%
135. White-breasted Nuthatch	1.69%
136. Lesser Goldfinch	1.67%
137. Redhead	1.59%
138. Northern Shoveler	1.54%
139. Great Egret	1.53%
140. Ring-necked Duck	1.51%
141. Lark Sparrow	1.49%
142. Sora	1.49%
143. Canada Jay	1.44%
144. Wild Turkey	1.33%
145. Townsend's Solitaire	1.33%
146. Common Loon	1.25%
147. Black Oystercatcher	1.23%
148. Brewer's Sparrow	1.23%
149. Great Horned Owl	1.23%
150. Barred Owl	1.18%
151. Green-winged Teal	1.15%
152. Ruby-crowned Kinglet	1.14%
153. Marbled Murrelet	1.13%
154. American Wigeon	1.13%
155. Black Swift	1.05%
156. Sooty Grouse	1.05%

157. Surf Scoter	1.05%
158. Lewis's Woodpecker	0.9869%
159. Swainson's Hawk	0.9842%
160. Western Grebe	0.9237%
161. American Bittern	0.9113%
162. American Dipper	0.9070%
163. Green Heron	0.8638%
164. Harlequin Duck	0.8633%
165. American Redstart	0.8600%
166. Black-necked Stilt	0.8158%
167. Lesser Scaup	0.8087%
168. White-throated Swift	0.7758%
169. Williamson's Sapsucker	0.7089%
170. Peregrine Falcon	0.7072%
171. Western Gull	0.7051%
172. Brandt's Cormorant	0.7013%
173. Clark's Nutcracker	0.6964%
174. Gray Flycatcher	0.6932%
175. Fox Sparrow	0.6441%
176. Sage Thrasher	0.6365%
177. Wilson's Phalarope	0.6338%
178. Grasshopper Sparrow	0.6333%
179. Heermann's Gull	0.6316%

180. Ruffed Grouse	0.6268%
181. Common Murre	0.6246%
182. Bufflehead	0.6047%
183. Least Flycatcher	0.5895%
184. White-headed Woodpecker	0.5760%
185. Barrow's Goldeneye	0.5663%
186. American Avocet	0.5604%
187. Northern Pintail	0.5334%
188. Canyon Wren	0.5312%
189. Greater Yellowlegs	0.5242%
190. American Barn Owl	0.5215%
191. Bonaparte's Gull	0.5188%
192. Sharp-shinned Hawk	0.4805%
193. Ash-throated Flycatcher	0.4697%
194. Hermit Warbler	0.4686%
195. Golden Eagle	0.4654%
196. Black Tern	0.4562%
197. Black-crowned Night Heron	0.4546%
198. Brown Pelican	0.4314%
199. Chukar	0.4179%
200. Bobolink	0.3752%
201. Lincoln's Sparrow	0.3655%
202. Eared Grebe	0.3574%

203. Common Poorwill	0.3488%
204. Merlin	0.3407%
205. White-winged Scoter	0.3315%
206. Pacific Loon	0.3282%
207. Forster's Tern	0.3245%
208. Sagebrush Sparrow	0.3201%
209. Loggerhead Shrike	0.3126%
210. Common Goldeneye	0.3077%
211. Prairie Falcon	0.2678%
212. Red-necked Grebe	0.2510%
213. Black-backed Woodpecker	0.2467%
214. Western Sandpiper	0.2386%
215. Black Phoebe	0.2365%
216. Dusky Grouse	0.2327%
217. Tufted Puffin	0.2241%
218. Whimbrel	0.2186%
219. Black-bellied Plover	0.2181%
220. Northern Waterthrush	0.2170%
221. Greater Scaup	0.2111%
222. Least Sandpiper	0.2100%
223. American Three-toed Woodpecker	0.2073%
224. American Pipit	0.2057%
225. Clark's Grebe	0.2041%

226. Northern Pygmy-Owl	0.2030%
227. Sandhill Crane	0.1976%
228. Trumpeter Swan	0.1879%
229. Long-billed Curlew	0.1695%
230. Flammulated Owl	0.1695%
231. Western Screech-Owl	0.1539%
232. Horned Grebe	0.1528%
233. Clay-colored Sparrow	0.1495%
234. Burrowing Owl	0.1431%
235. Canvasback	0.1404%
236. Ferruginous Hawk	0.1350%
237. Red-throated Loon	0.1328%
238. American Goshawk	0.1188%
239. Gray Partridge	0.1161%
240. Indigo Bunting	0.1155%
241. Pine Grosbeak	0.1117%
242. Franklin's Gull	0.1101%
243. Tricolored Blackbird	0.1063%
244. Sooty Shearwater	0.0918%
245. Green-tailed Towhee	0.0902%
246. Black-throated Sparrow	0.0875%
247. Acorn Woodpecker	0.0858%
248. Red-necked Phalarope	0.0842%

249. Lesser Yellowlegs	0.0842%
250. Chestnut-sided Warbler	0.0842%
251. Short-billed Gull	0.0826%
252. Brant	0.0777%
253. White-faced Ibis	0.0777%
254. Semipalmated Plover	0.0740%
255. Short-eared Owl	0.0740%
256. Northern Saw-whet Owl	0.0642%
257. Long-eared Owl	0.0621%
258. Long-billed Dowitcher	0.0589%
259. Marbled Godwit	0.0572%
260. Gray-crowned Rosy-Finch	0.0551%
261. Boreal Chickadee	0.0545%
262. Cassin's Auklet	0.0529%
263. Semipalmated Sandpiper	0.0502%
264. Short-billed Dowitcher	0.0491%
265. Red-breasted Merganser	0.0481%
266. Dunlin	0.0470%
267. Great Gray Owl	0.0454%
268. Magnolia Warbler	0.0426%
269. Fork-tailed Storm-Petrel	0.0362%
270. Black-and-white Warbler	0.0356%
271. Mountain Quail	0.0351%

272. White-rumped Sandpiper	0.0345%
273. Crested Caracara	0.0345%
274. Black-footed Albatross	0.0324%
275. Snow Goose	0.0318%
276. Parasitic Jaeger	0.0318%
277. Snowy Plover	0.0313%
278. Pink-footed Shearwater	0.0313%
279. Blue Grosbeak	0.0302%
280. Leach's Storm-Petrel	0.0291%
281. Northern Fulmar	0.0291%
282. Costa's Hummingbird	0.0286%
283. Common Tern	0.0281%
284. Sanderling	0.0275%
285. White-winged Crossbill	0.0275%
286. Horned Puffin	0.0265%
287. Black-legged Kittiwake	0.0248%
288. Eastern Phoebe	0.0248%
289. Rose-breasted Grosbeak	0.0243%
290. Northern Mockingbird	0.0237%
291. Tundra Swan	0.0232%
292. Red Knot	0.0232%
293. Bar-tailed Godwit	0.0221%
294. Willet	0.0216%

295. Golden-crowned Sparrow	0.0216%
296. White-tailed Ptarmigan	0.0211%
297. Blue-gray Gnatcatcher	0.0211%
298. Spruce Grouse	0.0205%
299. Spotted Owl	0.0205%
300. Northern Parula	0.0200%
301. Dickcissel	0.0200%
302. Greater White-fronted Goose	0.0167%
303. Ancient Murrelet	0.0162%
304. American Herring Gull	0.0162%
305. Lesser Black-backed Gull	0.0162%
306. Arctic Tern	0.0157%
307. American Golden-Plover	0.0151%
308. South Polar Skua	0.0135%
309. Cackling Goose	0.0130%
310. Snowy Egret	0.0124%
311. Great-tailed Grackle	0.0119%
312. Long-tailed Duck	0.0113%
313. Northern Hawk Owl	0.0113%
314. Ovenbird	0.0108%
315. Eurasian Wigeon	0.0103%
316. Lesser Nighthawk	0.0097%
317. Least Tern	0.0097%

318. Alder Flycatcher	0.0097%
319. Solitary Sandpiper	0.0081%
320. Broad-winged Hawk	0.0081%
321. Pacific Golden-Plover	0.0076%
322. Manx Shearwater	0.0076%
323. Black Scoter	0.0070%
324. Wandering Tattler	0.0070%
325. Sabine's Gull	0.0070%
326. Hudsonian Godwit	0.0065%
327. Black-throated Blue Warbler	0.0065%
328. Greater Sage-Grouse	0.0059%
329. Ruddy Turnstone	0.0054%
330. White-throated Sparrow	0.0054%
331. Baltimore Oriole	0.0054%
332. Bay-breasted Warbler	0.0054%
333. Sharp-tailed Grouse	0.0038%
334. Iceland Gull	0.0038%
335. White-tailed Kite	0.0038%
336. Boreal Owl	0.0038%
337. Brown Thrasher	0.0038%
338. LeConte's Sparrow	0.0038%
339. Eastern Meadowlark	0.0038%
340. Black Turnstone	0.0032%

341. Red-shouldered Hawk	0.0032%
342. Eurasian Skylark	0.0032%
343. Upland Sandpiper	0.0027%
344. Red Phalarope	0.0027%
345. Flesh-footed Shearwater	0.0027%
346. Blue Jay	0.0027%
347. Hooded Oriole	0.0027%
348. Common Grackle	0.0027%
349. Pectoral Sandpiper	0.0022%
350. Pomarine Jaeger	0.0022%
351. Great Shearwater	0.0022%
352. Short-tailed Shearwater	0.0022%
353. Surfbird	0.0016%
354. Long-tailed Jaeger	0.0016%
355. Glaucous Gull	0.0016%
356. Lapland Longspur	0.0016%
357. Harris's Sparrow	0.0016%
358. Hooded Warbler	0.0016%
359. Tufted Duck	0.0011%
360. Crested Auklet	0.0011%
361. Scripps's Murrelet	0.0011%
362. Laughing Gull	0.0011%
363. Yellow-billed Loon	0.0011%

364. Yellow-bellied Sapsucker	0.0011%
365. Scissor-tailed Flycatcher	0.0011%
366. Yellow-throated Vireo	0.0011%
367. Ross's Goose	0.0005%
368. King Eider	0.0005%
369. Yellow-billed Cuckoo	0.0005%
370. Broad-tailed Hummingbird	0.0005%
371. Stilt Sandpiper	0.0005%
372. Red-necked Stint	0.0005%
373. Baird's Sandpiper	0.0005%
374. Thick-billed Murre	0.0005%
375. Elegant Tern	0.0005%
376. Laysan Albatross	0.0005%
377. Short-tailed Albatross	0.0005%
378. Ashy Storm-Petrel	0.0005%
379. Yellow-crowned Night Heron	0.0005%
380. Snowy Owl	0.0005%
381. Bell's Vireo	0.0005%
382. Lark Bunting	0.0005%
383. Blackpoll Warbler	0.0005%
384. Emperor Goose	0.0000%
385. White-winged Dove	0.0000%
386. Black-billed Cuckoo	0.0000%

387. Least Auklet	0.0000%
388. Red-legged Kittiwake	0.0000%
389. Black-tailed Gull	0.0000%
390. Red-billed Tropicbird	0.0000%
391. Murphy's Petrel	0.0000%
392. Buller's Shearwater	0.0000%
393. Little Blue Heron	0.0000%
394. Western Cattle-Egret	0.0000%
395. Philadelphia Vireo	0.0000%
396. Dusky Thrush	0.0000%
397. Thick-billed Longspur	0.0000%
398. Swamp Sparrow	0.0000%
399. Orchard Oriole	0.0000%
400. Rusty Blackbird	0.0000%
401. Blue-winged Warbler	0.0000%
402. Blackburnian Warbler	0.0000%
403. Palm Warbler	0.0000%
404. Black-throated Green Warbler	0.0000%
405. Scarlet Tanager	0.0000%
EXOTIC: PROVISIONAL	
406. Northern Bobwhite	0.0324% frequency
407. American Black Duck	0.0005%

EXOTIC: ESCAPEE

Muscovy Duck	0.0572% frequency
Mute Swan	0.0232%
Mandarin Duck	0.0119%
Indian Peafowl	0.0108%
Budgerigar	0.0103%
Long-tailed Mockingbird	0.0076%
Red Junglefowl	0.0032%
Graylag Goose	0.0022%
Monk Parakeet	0.0022%
Mitred Parakeet	0.0022%
Helmeted Guineafowl	0.0016%
Black Swan	0.0011%
Swan Goose	0.0005%
Emu	0.0000%
Scaled Quail	0.0000%
African Collared-Dove	0.0000%

HYBRIDS

Western x Glaucous-winged Gull (hybrid)	2.24% frequency
Townsend's x Hermit Warbler (hybrid)	0.1209%
Red-naped x Red-breasted Sapsucker (hybrid)	0.0421%
Domestic goose sp. x Canada Goose (hybrid)	0.0221%

Blue-winged x Cinnamon Teal (hybrid)	0.0043%
Wood Duck x Mallard (hybrid)	0.0027%
Western x Clark's Grebe (hybrid)	0.0027%
Lazuli x Indigo Bunting (hybrid)	0.0027%
Black-capped x Mountain Chickadee (hybrid)	0.0016%
Mallard x American Black Duck (hybrid)	0.0011%
Yellow-bellied x Red-naped Sapsucker (hybrid)	0.0011%
Black-throated Gray x Townsend's Warbler (hybrid)	0.0011%
Swan Goose x Canada Goose (hybrid)	0.0005%
Graylag x Canada Goose (hybrid)	0.0005%
Blue-winged Teal x Northern Shoveler (hybrid)	0.0005%
Gadwall x American Wigeon (hybrid)	0.0005%
Barn x Cliff Swallow (hybrid)	0.0005%
Black-chinned x Anna's Hummingbird (hybrid)	0.0000%
Black-chinned x Calliope Hummingbird (hybrid)	0.0000%
Chipping x Clay-colored Sparrow (hybrid)	0.0000%