



Target Species

Based on 149,098 complete checklists

426 species observed in Washington, US (region/US-WA) in **Sep** that you need for your **World Life List**

1. American Crow	44.14% frequency
2. Song Sparrow	39.09%
3. Black-capped Chickadee	37.85%
4. Northern Flicker	36.19%
5. American Robin	32.33%
6. Steller's Jay	29.44%
7. Mallard	28.37%
8. Great Blue Heron	28.27%
9. Dark-eyed Junco	27.33%
10. Spotted Towhee	26.90%
11. House Finch	26.45%
12. Red-breasted Nuthatch	25.96%
13. Anna's Hummingbird	24.67%
14. European Starling	24.18%
15. White-crowned Sparrow	23.98%
16. Canada Goose	21.01%
17. Chestnut-backed Chickadee	20.86%
18. American Goldfinch	20.59%

19. Belted Kingfisher	19.62%
20. Glaucous-winged Gull	19.60%
21. Common Raven	19.46%
22. Bewick's Wren	18.83%
23. Double-crested Cormorant	18.15%
24. Killdeer	17.90%
25. California Gull	15.94%
26. Yellow-rumped Warbler	15.76%
27. Savannah Sparrow	15.35%
28. Barn Swallow	15.02%
29. Cedar Waxwing	14.56%
30. Golden-crowned Kinglet	13.83%
31. Red-winged Blackbird	13.67%
32. Rock Pigeon	12.85%
33. Red-tailed Hawk	12.76%
34. Ring-billed Gull	12.66%
35. Downy Woodpecker	12.29%
36. Osprey	10.58%
37. Eurasian Collared-Dove	10.29%
38. Mourning Dove	10.16%
39. Brown Creeper	10.01%
40. Pied-billed Grebe	9.89%
41. House Sparrow	9.67%

42. Caspian Tern	9.17%
43. Green-winged Teal	9.16%
44. Golden-crowned Sparrow	9.05%
45. American Wigeon	8.95%
46. Common Yellowthroat	8.73%
47. Turkey Vulture	8.48%
48. American Coot	7.95%
49. Orange-crowned Warbler	7.90%
50. Bald Eagle	7.55%
51. Wood Duck	7.42%
52. Pine Siskin	7.21%
53. Gadwall	7.19%
54. Bushtit	7.19%
55. Northern Shoveler	7.03%
56. Pelagic Cormorant	6.94%
57. American Pipit	6.92%
58. Heermann's Gull	6.90%
59. Ruby-crowned Kinglet	6.90%
60. Northern Pintail	6.82%
61. Western Sandpiper	6.77%
62. California Scrub-Jay	6.75%
63. Cooper's Hawk	6.66%
64. Common Loon	6.54%

65. Northern Harrier	6.51%
66. Surf Scoter	6.45%
67. Short-billed Gull	6.35%
68. Greater Yellowlegs	6.31%
69. Pacific Wren	6.26%
70. Lincoln's Sparrow	5.99%
71. American Kestrel	5.86%
72. California Quail	5.85%
73. Violet-green Swallow	5.84%
74. Hairy Woodpecker	5.67%
75. Least Sandpiper	5.59%
76. Pileated Woodpecker	5.55%
77. Brewer's Blackbird	5.55%
78. Marsh Wren	5.23%
79. Purple Finch	5.17%
80. Black-billed Magpie	5.16%
81. Band-tailed Pigeon	4.91%
82. Horned Grebe	4.84%
83. Pigeon Guillemot	4.60%
84. Yellow Warbler	4.34%
85. Western Tanager	4.29%
86. Fox Sparrow	4.16%
87. Red-necked Grebe	4.14%

88. Western Grebe	4.12% 
89. Rhinoceros Auklet	4.04% 
90. Common Merganser	3.97% 
91. Vaux's Swift	3.96% 
92. Hooded Merganser	3.87% 
93. Red Crossbill	3.81% 
94. Wilson's Warbler	3.66% 
95. Swainson's Thrush	3.60% 
96. Brown Pelican	3.58% 
97. Great Egret	3.48% 
98. Warbling Vireo	3.36% 
99. Black-throated Gray Warbler	3.30% 
100. Common Murre	3.21% 
101. Western Gull	3.17% 
102. Sharp-shinned Hawk	3.07% 
103. Virginia Rail	3.04% 
104. Harlequin Duck	2.97% 
105. Red-breasted Sapsucker	2.96% 
106. Merlin	2.94% 
107. Peregrine Falcon	2.92% 
108. Townsend's Warbler	2.87% 
109. Pectoral Sandpiper	2.81% 
110. Varied Thrush	2.79% 

111. Brandt's Cormorant	2.77% 
112. Bonaparte's Gull	2.69% 
113. Long-billed Dowitcher	2.69% 
114. Black-bellied Plover	2.69% 
115. Mountain Chickadee	2.67% 
116. Wilson's Snipe	2.58% 
117. Western Meadowlark	2.42% 
118. White-winged Scoter	2.42% 
119. Sanderling	2.39% 
120. Spotted Sandpiper	2.37% 
121. Black Turnstone	2.27% 
122. Hutton's Vireo	2.27% 
123. Hermit Thrush	2.26% 
124. Evening Grosbeak	2.26% 
125. American White Pelican	2.24% 
126. Semipalmated Plover	2.17% 
127. Chipping Sparrow	2.17% 
128. Lesser Yellowlegs	2.16% 
129. Western Wood-Pewee	2.12% 
130. Lesser Goldfinch	2.09% 
131. Cackling Goose	2.06% 
132. Canada Jay	2.05% 
133. Ring-necked Duck	2.04% 

134. Green Heron	2.01%
135. Ruddy Duck	2.01%
136. White-breasted Nuthatch	1.86%
137. Red-necked Phalarope	1.85%
138. Great Horned Owl	1.65%
139. Greater White-fronted Goose	1.57%
140. Pygmy Nuthatch	1.53%
141. Short-billed Dowitcher	1.52%
142. Parasitic Jaeger	1.50%
143. Pacific Loon	1.48%
144. Horned Lark	1.48%
145. Northern House Wren	1.45%
146. Black Oystercatcher	1.45%
147. Baird's Sandpiper	1.43%
148. Marbled Murrelet	1.41%
149. Cinnamon Teal	1.38%
150. Western Flycatcher	1.33%
151. Marbled Godwit	1.33%
152. Western Bluebird	1.33%
153. American Herring Gull	1.32%
154. Willow Flycatcher	1.30%
155. Hammond's Flycatcher	1.30%
156. Clark's Nutcracker	1.30%

157. Black-headed Grosbeak	1.29%
158. Wild Turkey	1.28%
159. Sandhill Crane	1.27%
160. Townsend's Solitaire	1.23%
161. Brown-headed Cowbird	1.22%
162. Red-throated Loon	1.11%
163. Say's Phoebe	1.11%
164. Common Tern	1.10%
165. Barred Owl	1.09%
166. Sooty Shearwater	1.09%
167. American Dipper	1.06%
168. Ring-necked Pheasant	1.02%
169. Blue-winged Teal	0.9953%
170. Purple Martin	0.9859%
171. MacGillivray's Warbler	0.9631%
172. Gray Catbird	0.9450%
173. Cassin's Vireo	0.9323%
174. Rufous Hummingbird	0.8994%
175. Cassin's Finch	0.8699%
176. Lesser Scaup	0.7767%
177. Whimbrel	0.7767%
178. Greater Scaup	0.7398%
179. Eared Grebe	0.7217%

180. Lewis's Woodpecker	0.7203%
181. American Barn Owl	0.7123%
182. Mountain Bluebird	0.6975%
183. Bank Swallow	0.6922%
184. Redhead	0.6365%
185. Sooty Grouse	0.6291%
186. American Bittern	0.6164%
187. Dunlin	0.6083%
188. Sabine's Gull	0.5983%
189. Vesper Sparrow	0.5855%
190. White-throated Sparrow	0.5788%
191. Rock Wren	0.5600%
192. Bufflehead	0.5332%
193. Swainson's Hawk	0.5258%
194. Willet	0.5232%
195. Black Phoebe	0.5144%
196. Yellow-headed Blackbird	0.5117%
197. Tree Swallow	0.5030%
198. Olive-sided Flycatcher	0.4822%
199. Northern Pygmy-Owl	0.4708%
200. Cliff Swallow	0.4708%
201. Ruffed Grouse	0.4581%
202. Sora	0.4406%

203. Semipalmated Sandpiper	0.4313%
204. Surfbird	0.4219%
205. Black-chinned Hummingbird	0.4038%
206. Lapland Longspur	0.3890%
207. American Golden-Plover	0.3877%
208. Solitary Sandpiper	0.3810%
209. Northern Rough-winged Swallow	0.3810%
210. Wandering Tattler	0.3749%
211. Red-shouldered Hawk	0.3749%
212. Red-naped Sapsucker	0.3722%
213. Golden Eagle	0.3682%
214. Nashville Warbler	0.3662%
215. Canyon Wren	0.3595%
216. Pacific Golden-Plover	0.3568%
217. Black-crowned Night Heron	0.3535%
218. Common Goldeneye	0.3347%
219. Dusky Flycatcher	0.3347%
220. Franklin's Gull	0.3307%
221. Pink-footed Shearwater	0.3286%
222. Red Knot	0.3166%
223. Common Nighthawk	0.3092%
224. Cassin's Auklet	0.3085%
225. Snow Goose	0.2938%

226. Black Swift	0.2924%
227. Prairie Falcon	0.2918%
228. Stilt Sandpiper	0.2897%
229. Ruddy Turnstone	0.2649%
230. Pomarine Jaeger	0.2629%
231. Bar-tailed Godwit	0.2589%
232. Black-necked Stilt	0.2582%
233. Northern Fulmar	0.2569%
234. Forster's Tern	0.2528%
235. Black-footed Albatross	0.2495%
236. Black Scoter	0.2441%
237. Fork-tailed Storm-Petrel	0.2401%
238. White-headed Woodpecker	0.2247%
239. Red-breasted Merganser	0.2240%
240. Chukar	0.2227%
241. Buller's Shearwater	0.2173%
242. Iceland Gull	0.2139%
243. Ruff	0.2133%
244. Gray Flycatcher	0.1992%
245. Red-eyed Vireo	0.1918%
246. Lazuli Bunting	0.1905%
247. Clark's Grebe	0.1891%
248. Tufted Puffin	0.1885%

249. Canvasback	0.1831%
250. American Avocet	0.1771%
251. Short-tailed Shearwater	0.1764%
252. Eastern Kingbird	0.1724%
253. Long-billed Curlew	0.1704%
254. South Polar Skua	0.1670%
255. American Goshawk	0.1637%
256. Eurasian Wigeon	0.1610%
257. Yellow-breasted Chat	0.1563%
258. Sharp-tailed Sandpiper	0.1543%
259. American Three-toed Woodpecker	0.1516%
260. Barrow's Goldeneye	0.1509%
261. Snowy Plover	0.1489%
262. Western Screech-Owl	0.1462%
263. Pine Grosbeak	0.1429%
264. Black-legged Kittiwake	0.1375%
265. Red Phalarope	0.1362%
266. Brewer's Sparrow	0.1335%
267. Swallow-tailed Gull	0.1321%
268. White-throated Swift	0.1308%
269. Gray Partridge	0.1281%
270. Gray-crowned Rosy-Finch	0.1254%
271. Long-tailed Jaeger	0.1194%

272. Arctic Tern	0.1167%
273. Hudsonian Godwit	0.1154%
274. Northern Saw-whet Owl	0.1140%
275. Lark Sparrow	0.1107%
276. Red-footed Booby	0.1046%
277. Brant	0.1033%
278. Acorn Woodpecker	0.0999%
279. Trumpeter Swan	0.0993%
280. Dusky Grouse	0.0952%
281. Williamson's Sapsucker	0.0932%
282. Calliope Hummingbird	0.0885%
283. Western Kingbird	0.0852%
284. Ancient Murrelet	0.0825%
285. Northern Waterthrush	0.0798%
286. White-tailed Ptarmigan	0.0791%
287. Black-backed Woodpecker	0.0785%
288. Buff-breasted Sandpiper	0.0765%
289. Sage Thrasher	0.0724%
290. Broad-winged Hawk	0.0711%
291. American Redstart	0.0711%
292. Boreal Chickadee	0.0684%
293. Spruce Grouse	0.0657%
294. Boreal Owl	0.0657%

295. Common Poorwill	0.0610%
296. Loggerhead Shrike	0.0604%
297. White-winged Crossbill	0.0604%
298. Phainopepla	0.0557%
299. Palm Warbler	0.0557%
300. Clay-colored Sparrow	0.0550%
301. Flesh-footed Shearwater	0.0537%
302. Wilson's Phalarope	0.0510%
303. Elegant Tern	0.0510%
304. Sagebrush Sparrow	0.0503%
305. Short-eared Owl	0.0496%
306. White-faced Ibis	0.0456%
307. Hermit Warbler	0.0449%
308. Bullock's Oriole	0.0409%
309. Leach's Storm-Petrel	0.0329%
310. Mountain Quail	0.0322%
311. Blackpoll Warbler	0.0309%
312. Chestnut-sided Warbler	0.0302%
313. Black-headed Gull	0.0275%
314. Blue-gray Gnatcatcher	0.0268%
315. Ferruginous Hawk	0.0262%
316. Long-eared Owl	0.0248%
317. Least Flycatcher	0.0242%

318. Laysan Albatross	0.0235%
319. Lesser Black-backed Gull	0.0228%
320. Tennessee Warbler	0.0228%
321. Canada Warbler	0.0221%
322. Black Tern	0.0215%
323. White-tailed Kite	0.0215%
324. Black-tailed Gull	0.0208%
325. Manx Shearwater	0.0208%
326. Burrowing Owl	0.0208%
327. Long-tailed Duck	0.0201%
328. Northern Mockingbird	0.0174%
329. Tundra Swan	0.0168%
330. Cocos Booby	0.0168%
331. Scripps's Murrelet	0.0161%
332. Yellow-bellied Sapsucker	0.0154%
333. Rough-legged Hawk	0.0148%
334. Slaty-backed Gull	0.0141%
335. Greater Sage-Grouse	0.0134%
336. Little Gull	0.0134%
337. Painted Redstart	0.0134%
338. Rose-breasted Grosbeak	0.0134%
339. Ross's Goose	0.0127%
340. Horned Puffin	0.0121%

341. Tropical Kingbird	0.0121%
342. Grasshopper Sparrow	0.0121%
343. Bobolink	0.0114%
344. Snowy Egret	0.0101%
345. Magnolia Warbler	0.0101%
346. Bohemian Waxwing	0.0094%
347. Laughing Gull	0.0087%
348. Ash-throated Flycatcher	0.0087%
349. Siberian Sand-Plover	0.0081%
350. Northern Shrike	0.0081%
351. Black-and-white Warbler	0.0081%
352. Yellow-billed Loon	0.0074%
353. Spotted Owl	0.0074%
354. Tricolored Blackbird	0.0074%
355. Rock Sandpiper	0.0067%
356. Great Gray Owl	0.0067%
357. Upland Sandpiper	0.0060%
358. Northern Hawk Owl	0.0060%
359. Blue Jay	0.0060%
360. Swamp Sparrow	0.0060%
361. Veery	0.0054%
362. Orchard Oriole	0.0054%
363. Nazca Booby	0.0047%

364. Eastern Phoebe	0.0047%
365. Scissor-tailed Flycatcher	0.0040%
366. Smith's Longspur	0.0040%
367. Wilson's Plover	0.0033%
368. Steller's Eider	0.0027%
369. Glaucous Gull	0.0027%
370. Flammulated Owl	0.0027%
371. Philadelphia Vireo	0.0027%
372. Ovenbird	0.0027%
373. King Eider	0.0020%
374. Curlew Sandpiper	0.0020%
375. Guadalupe Murrelet	0.0020%
376. Red-legged Kittiwake	0.0020%
377. Short-tailed Albatross	0.0020%
378. Wilson's Storm-Petrel	0.0020%
379. Hawaiian Petrel	0.0020%
380. Little Blue Heron	0.0020%
381. Variegated Flycatcher	0.0020%
382. White Wagtail	0.0020%
383. Great-tailed Grackle	0.0020%
384. Northern Parula	0.0020%
385. Blackburnian Warbler	0.0020%
386. Painted Bunting	0.0020%

387. Common Ringed Plover	0.0013%
388. Blue-headed Vireo	0.0013%
389. Lark Bunting	0.0013%
390. Harris's Sparrow	0.0013%
391. Rusty Blackbird	0.0013%
392. Emperor Goose	0.0007%
393. Yellow-billed Cuckoo	0.0007%
394. Costa's Hummingbird	0.0007%
395. Western Cattle-Egret	0.0007%
396. Bell's Vireo	0.0007%
397. Yellow-throated Vireo	0.0007%
398. Eurasian Skylark	0.0007%
399. Gray Wagtail	0.0007%
400. Snow Bunting	0.0007%
401. American Tree Sparrow	0.0007%
402. Green-tailed Towhee	0.0007%
403. Lucy's Warbler	0.0007%
404. Bay-breasted Warbler	0.0007%
405. Indigo Bunting	0.0007%
406. Eurasian Dotterel	0.0000%
407. Jack Snipe	0.0000%
408. White-capped Albatross	0.0000%
409. Providence Petrel	0.0000%

410. Wedge-tailed Shearwater	0.0000%
411. Blue-footed Booby	0.0000%
412. Yellow-crowned Night Heron	0.0000%
413. Fork-tailed Flycatcher	0.0000%
414. Brown Thrasher	0.0000%
415. Northern Wheatear	0.0000%
416. Eastern Yellow Wagtail	0.0000%
417. Red-throated Pipit	0.0000%
418. Nelson's Sparrow	0.0000%
419. Golden-winged Warbler	0.0000%
420. Blue-winged Warbler	0.0000%
421. Prothonotary Warbler	0.0000%
422. Cape May Warbler	0.0000%
423. Black-throated Blue Warbler	0.0000%
424. Dickcissel	0.0000%
EXOTIC: PROVISIONAL	
425. American Black Duck	0.0033% frequency
426. Northern Bobwhite	0.0000%
EXOTIC: ESCAPEE	
Muscovy Duck	0.0664% frequency
Mute Swan	0.0309%
Mandarin Duck	0.0121%

Graylag Goose	0.0107% 
Black-and-white Mannikin	0.0040% 
Swan Goose	0.0033% 
Budgerigar	0.0033% 
Helmeted Guineafowl	0.0027% 
Indian Peafowl	0.0020% 
Scaled Quail	0.0013% 
Red Junglefowl	0.0013% 
Mitred Parakeet	0.0013% 
Black Swan	0.0007% 
Golden Pheasant	0.0007% 
Cockatiel	0.0007% 
Monk Parakeet	0.0007% 
Swinhoe's White-eye	0.0007% 
European Goldfinch	0.0007% 
Egyptian Goose	0.0000% 

HYBRIDS

Western x Glaucous-winged Gull (hybrid)	6.47% frequency 
Domestic goose sp. x Canada Goose (hybrid)	0.0389% 
American Herring x Glaucous-winged Gull (hybrid)	0.0235% 
Black-capped x Mountain Chickadee (hybrid)	0.0148% 
Townsend's x Hermit Warbler (hybrid)	0.0114% 

Red-naped x Red-breasted Sapsucker (hybrid)	0.0094%
Graylag x Canada Goose (hybrid)	0.0027%
Western x Clark's Grebe (hybrid)	0.0020%
Wood Duck x Mallard (hybrid)	0.0013%
Eurasian x American Wigeon (hybrid)	0.0007%
Muscovy Duck x Mallard (hybrid)	0.0007%
Gadwall x Mallard (hybrid)	0.0007%
Glaucous x Glaucous-winged Gull (hybrid)	0.0007%
Yellow-bellied x Red-naped Sapsucker (hybrid)	0.0007%
Greater White-fronted x Cackling Goose (hybrid)	0.0000%
Black-chinned x Anna's Hummingbird (hybrid)	0.0000%
Spotted x Barred Owl (hybrid)	0.0000%
White-crowned x Golden-crowned Sparrow (hybrid)	0.0000%